

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 30]

NEW DELHI, SATURDAY, AUGUST 2, 1958/SRAVANA 11, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1958

CHOLERA						CHOLERA					
SMALLPOX						SMALLPOX					
PLAGUE						PLAGUE					
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Andhra Pradesh						Madras—contd.					
"N.R."						The Nilgiris	4	..
Assam						Kanya kumari	3	2
"N.R."						TOTAL	202	62
Bihar						Total for w/c 28-6-58	229	59
"N.R."						Total for w/c 21-6-58	153	49
Bombay						Manipur					
"N.R."						TOTAL
Delhi						Total for w/c 28-6-58
"N.R."						" .. , 21-6-58	2	..
Himachal Pradesh						Mysore					
"N.R."						"N.R."					
Kerala						Orissa					
Trivandrum	3	Cuttak	28	16
Alleppey	3	Balasore	10	3
Kottayam	2	Puri	..	22	8	9	1
Trichur	5	Sambalpur	..	22	13	44	6
Malabar	37	8	..	Baudh	..	6	6	9	2
TOTAL	50	8	..	Ganjam	..	120	59	101	39
Total for w/c 28-6-58	19	6	..	Koraput	25	6
Total for w/c 21-6-58	11	4	..	Mayurbhanj	8	1
Madhya Pradesh						Dhenkanal	..	1	1	27	26
"N.R."						Bolargit Patna	..	60	45	128	18
Madras						Sundergarh	27	13
Madras City	77	22	..	Kalahandi	..	189	132	68	17
Chingleput	9	3	..	TOTAL	..	420	254	484	148
South Arcot	34	8	..	Total for w/c 28-6-58	193	110	577	135	..
Tanjore	2	Total for w/c 21-6-58	118	70	514	135	..
North Arcot	32	15	..						
Salem	34	8	..						
Coimbatore	7	4	..						

Explanation of Symbols used:—C.—Cases; D.—Deaths; ..—Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1958—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Pondicherry							Uttar Pradesh—<i>contd.</i>						
TOTAL	6	5	Mainpuri	2
Total for w/e 28-6-58	12	7	Meerut	2	5
Total for w/e 31-6-58	1	1	Moradabad	2
Punjab							Mathura	17	4
"N.R."							Pratapgarh	15	4
Rajasthan							Rae Bareilly	2
"N.R."							Rampur	2	1
Tripura							Saharanpur	3
"N.R."							Sultanpur	2
Uttar Pradesh							Unnao	2
Agra	2	Varanasi	..	22	9
Aligarh	4	Tehri Garhwal	1
Allahabad	7	1	TOTAL	..	22	9	298	159	..
Almora	5	4	Total for w/e 28-6-58	16	8	431	155
Azamgarh	39	24	Total for w/e 21-6-58	55	25	486	181
Basti	9	4	West Bengal						
Ballia	7	9	"N.R."						
Bulandshahr	2	1	Total for India						
Barailly	1	(Excluding Andhra Pradesh, Assam, Bihar, Bombay, Delhi, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab, Rajasthan, Tripura and West Bengal)						
Budaun	3	442	273	1,040	382
Dehra Dun	1	Corresponding						
Deoria	18	7	Total for w/e 28-6-58	209	118	1,268	362
Erawah	9	4	Corresponding						
Etah	1	Total for w/e 21-6-58	173	95	1,167	370
Faizabad	27	28	ARREAR INFORMATION						
Garhwal	1	Andhra Pradesh						
Ghazipur	8	5	w/e 14-6-1958						
Gonda	16	2	Srikakulam	..	45	27	77	8	..
Gorakhpur	4	2	Visakhapatnam	5	5	..
Hardoi	29	27	East Godavari	6	3	..
Jalaun	2	West Godavari	27	8	..
Jaunpur	8	11	Krishna	..	41	24	24	5	..
Jhansi	3	Guntur	..	1	1	22	3	..
Kanpur	17	6	Nellore	17	3	..
Kheri	5	4	Kurnool	..	20	7	9	6	..
Lucknow	18	6	Cuddapah	38	11	..
Muzaffarnagar	2	Anantapur	..	14	7	27	4	..
							Chittoor	8
							Warangal	..	2	1	5	1	..

Explanation of Symbols used:—C—Cases; D—Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1958—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE									
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
Andhra Pradesh—contd.						Bombay													
Khammam	I	I	w/e. 21-6-58					Greater Bombay	16	4
Karimnager	..	7	5	3	3	Ahmedabad	I	
Adilabad	..	9	5	16	3	Banaskhantha	7	
Nisamabam	..	19	10	Baroda	I	
Medak	I	Kaira	5	
Mahbubnagar	..	18	7	11	5	Panchmahals	5	
Hyderabad	..	14	..	4	2	Surat	..	22	3	I	
TOTAL	190	94	301	71	Gohilwad	I	
w/e 21-6-58												Sorath	4
Srikakulam	..	39	25	48	16	Ahmednagar	3	
Visakhapatnam	5	3	East Khandesh	..	35	6	53	2	
East Godavari	2	Poona	13	
West Godavari	..	3	3	29	4	Ratnagiri	5	
Krishna	..	26	15	7	3	North Satara	5	2	
Guntur	36	5	Sholapur	10	
Nellore	12	3	West Khandesh	..	82	29	5	
Kurnool	..	9	5	11	2	Akola	I	
Cuddapah	9	3	Amraoti	9	3	
Anantapur	..	8	3	9	2	Bhandara	12	
Chittoor	4	2	Buldhana	3	
Warangal	14	I	Chanda	15	I	
Khammam	3	Nagpur	8	3	
Karimnagar	2	I	Wardha	25	4	
Nizamabad	..	27	13	I	Yeotmal	3	
Medak	..	39	2	2	2	Osmanabad	I	
Mahbubnagar	..	7	4	South Satara	4	
Hyderabad	..	6	..	3	2	TOTAL	..	139	38	215	20	
TOTAL	164	80	194	52	Bombay											
Bihar												w/e 28-6-58							
w/e 14-6-1958																			
Patna	..	21	..	15	6	Greater Bombay	40	10	
Gaya	..	9	5	33	11	Ahmedabad	I	
Shahabad	..	96	31	46	16	Surat	..	19	4	I	
Muzaffarpur	..	8	4	Kutch	4	
Darbhanga	..	95	28	62	12	East Khandesh	..	46	10	24	5	
Monghyr	38	8	Kolaba	2	
Santal Parganas	21	4	Nasik	..	I	
Purnea	5	4	Poona	9	
Hazaribagh	..	11	2	24	6	North Satara	15	I	
Ranchi	18	7	South Satara	I	
Palamau	..	8	7	Sholapur	I	
Dhanbad	7	2	West Khandesh	..	32	6	9	2	
Singhbhum	5	I												
TOTAL	248	77	274	77												

Explanation of Symbols used: C.—Cases; D.—Deaths; —Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1958—contd.

CHOLERA							SMALLPOX							PLAGUE							CHOLERA							SMALLPOX							PLAGUE						
		C.		D.		C.		D.		C.		D.		C.		D.				C.		D.		C.		D.		C.		D.		C.		D.							
Bombay—contd.														West Bengal																											
w/e 21-6-58														w/e 21-6-58																											
Akola	8	Burdwan	.	.	23	20	106	69								
Amraoti	5	3	Birbhum	16	6								
Bhandara	10	4	Bankura	56	22								
Chanda	.	25	15	19	4	Midnapur	.	.	8	4	38	18								
Nagpur	.	1	1	4	Hooghly	.	.	6	4	11	6								
Wardha	.	.	.	20	Nowrah	.	.	47	18	9	4								
TOTAL		124	36	172	30	24-Parganas	.	.	77	30	72	26								
Mysore														Calcutta.																											
w/e 21-6-58														w/e 21-6-58																											
Bangalore	.	.	.	27	12	Nadia	.	.	1	.	3	4								
Chitaldrug	.	203	89	9	4	Murshidabad	8	2								
Kolar	.	.	.	21	2	West Dinajpur	23	16								
Mandya	.	.	.	4	Jalpaiguri	1								
Mysore	.	.	.	230	54	Malda	106	39								
Shimoga	.	42	19	5	Cooch-Behar	1								
Tumkur	.	.	.	2	1	Purulia	46	20								
Bellary	.	3	3	TOTAL		291	120	495	233								
Bijapur	.	3	Pollomyelitis																											
Raichur	.	71	43	(Information based on patients treated in hospitals of important towns)																											
Belgaum	.	39	15	Place		F/e		Case		Deaths																					
Dharwar	.	97	24	10	5	Madras		15-4-58		10		(Paretic)																					
South Kanara	.	.	.	3	1	Do		do		12		(Non-Paretic)																					
TOTAL		458	193	311	79	Do		30-4-58		10		(Paretic)																					
Madhya Pradesh														Do		do		9		(Non-Paretic)																					
w/e 21-6-58														Do		15-5-58		8		(Paretic)																					
Umaria	.	15	2	3	2	Do		do		12		(Non-Paretic)																					
Durg	.	263	113	Do		31-5-58		16		(Paretic)																					
Sidhi	.	.	.	2	Do		do		10		(Non-Paretic)																					
Chhindwara	.	.	.	7	2	REMARKS																											
Sagar	.	.	.	9	2	Cholera.—Heavy incidence of the disease was reported from the districts of Ganjam and Bolangir Patna in Orissa State during the week under report.																											
Jabalpur	.	.	.	21	4	Epidemic conditions prevailed in the district of Kalahandi of Orissa State.																											
Seoni	.	.	.	1	Small-pox.—Districts of Ganjam, Sundargarh and Kalahandi of Orissa State and the City of Madras reported heavy incidence of the disease.																											
Indore	.	.	.	2	The district of Bolangir-Patna in Orissa State reported epidemic condition of the disease.																											
Damoh	.	.	.	13	2																												
TOTAL	.	278	115	58	12																												

Explanation of Symbol used:—C =Cases ; D.=Deaths ; .. = Nil; "N.R."=Information not received.

NEW DELHI-2 (INDIA);
The 28th July, 1958

}

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958

Deaths from :—

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	BR.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Andhra Pradesh		"N.R."													
Assam		"N.R."													
Bihar															
Arrah	74	10	7.0	..	7	..	4	12	8.4	..		
Bettiah	40	9	11.7	3	1	6	7.8	..		
Bhagalpur	133	17	6.6	7	2.7	..		
Bihar	70	14	10.4	..	3	..	6	14	10.4	..		
Chapra	72	41	29.6	..	4	..	1	1	17	12.3	3		
Darbhanga	98	11	5.8	2	4	2.1	..		
Dhanbad	48	1	..	1	..	6	6.5	..		
Dinapur	45	2	2.3	1	1.2	..		
Gaya	159	27	8.8	16	1	21	..	57	18.6	..		
Hazari bagh	42	12	14.9	6	7.4	..		
Jamalpur	48	6	6.5		
Jamshedpur	266	124	24.2	..	1	..	1	..	1	..	20	3.9	6		
Katihar	60		
Monghyr	84	8	5.0	5	1	10	6.2	..		
Muzaffarpur	92	32	18.1	10	1	30	17.0	..		
Patna	371	55	7.7	..	2	..	18	2	33	4.6	..		
Ranchi	157	11	3.6	..	4	..	15	2	33	10.9	2		
TOTAL	1,859	379	10.6	..	21	..	82	9	23	..	256	7.2	11		
Delhi		"N.R."													
Kerala		"N.R."													
Madhya Pradesh		"N.R."													
Madras															
Ambur	48	27	29.3	2	3	1	14	15.2	2		
Arrupukottai	62	28	23.5	4	..	2	..	11	9.2	1		
Bodinayakanur	43	29	35.1	3	..	9	10.9	3		
Chidambaram	43	52	62.9	3	1	15	18.1	4		
Coimbatore	267	299	58.2	6	19	3	90	17.5	24		
Cuddalore	76	67	45.8	5	2	3	1	28	19.2	5		
Dindigul	100	51	26.5	8	5	1	..	21	11.9	5		
Erode	77	73	49.3	1	2	4	1	16	10.8	2		
Gobichettipalayam	48	30	32.5	1	3	3.3	2		
Gudiyattam	58	27	24.2	..	1	6	2	..	17	15.2	6		
Kancheepuram	93	87	48.4	..	2	..	1	..	5	..	32	17.9	3		
Karaikudi	47	45	49.8	1	7	7.7	..		
Karur	57	49	44.7	1	3	..	13	11.9	3		
Kumbakonam	115	123	55.6	1	4	33	14.9	9		
Madras City	2,011	1,079	27.9	..	24	..	72	84	149	3	583	15.1	185		
Madurai†															
Mayuram	53	57	55.9	1	9	8.8	2		
Malapalayam	43	9	10.9	1	..	1	..	4	4.8	1		
Nagapattinam	62	70	58.7	1	1	1	3	22	18.5	8		
Nagercoil	109	71	33.9	2	..	1	..	11	5.2	2		
Octacumund	53	44	43.2	1	2	..	11	10.8	1		
Palni	44	34	40.2	1	6	..	15	17.7	6		
Palayamkottai	48	72	78.0	1	1	..	17	18.4	2		
Periyakulam†															
Pollachi	60	44	38.1	4	2	3	1	28	24.3	9		
Pudukottai	54	60	57.8	1	1	2	12	11.6	1		
Rajapalayam	74	45	31.6	1	..	2	1	8	5.6	4		
Salem	279	150	28.0	7	10	1	60	11.2	4		
Srirangam	46	18	20.3	1	2	3	..	16	18.1	2		
Srividiputtur	45	29	33.5	2	..	4	..	12	13.9	2		
Tanjore	133	98	38.3	2	..	9	2	50	19.5	9		
Tiruchirappalli	276	297	56.0	2	5	2	..	53	10.0	7		
Tirunelveli	84	49	30.3	1	1	3	..	14	8.7	7		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	B	B.R.*	Deaths from:—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras—contd.															
Tiruppur	73	84	59.8	2	2	..	15	10.7	5		
Tiruvannamalai	47	33	36.5	3	..	8	8.9	1		
Tuticorin	121	93	40.0	2	4	15	..	42	18.0	8		
Vaniyambadi	45	35	40.4	2	3	2	13	15.0	2		
Vellore	141	129	47.6	1	8	12	2	67	24.7	14		
Villapuram	42	57	70.6	1	2	3	..	16	19.8	2		
Virudhunagar	57	61	55.6	2	2	1	1	17	15.8	3		
TOTAL	5,134	3,705	37.5	..	27	..	122	154	285	25	1,412	14.3	351		
Mysore															
Bangalore	1,246	828	34.6	..	5	..	23	68	71	7	327	13.6	..		
Mysore	347	206	30.9	..	1	..	12	7	5	..	57	8.5	3		
Kolar Gold Fields	180	124	35.8	..	1	10	7	1	45	13.0	2		
Bellary	83	51	32.0	3	..	1	25	15.7	2		
Davangere	85	45	27.5	7	1	16	9.8	..		
Shimoga	68	24	18.4	1	8	2	1	..	13	9.9	1		
Bhadravati†															
Hospet †															
Tumkur	51	24	24.5	4	4	4.1	..		
Kolar†															
Chitaldrug	37	13	18.3	5	7.0	..		
Hassan†															
Bidar†															
Gulberga	101	17	8.8	2	1	1	6	3.1	1		
Raichur†															
Belgaum	110	103	48.7	4	2	3	..	54	25.5	3		
Bijapur	82	38	24.1	2	1	2	..	10	6.3	..		
Dharwar	85	16	9.8	2	1	2	..	18	11.0	..		
Mangalore															
Bagalkot †	153	92	31.3	6	3	7	..	54	18.4	3		
Hubli†															
Gadag (Bettigere)	73	48	34.1	..	2	..	13	..	2	..	28	19.1	1		
TOTAL	2,701	1,629	31.4	1	9	..	81	98	101	11	662	12.7	16		
Orissa															
Behrampur	81	80	51.4	4	5	2	3	22	14.1	5		
Cuttack	129	140	56.4	..	6	..	8	6	6	..	48	19.3	6		
Puri	56	51	47.4	9	5	1	1	29	26.9	3		
TOTAL	266	271	53.0	..	6	..	21	16	9	4	99	19.0	14		
Pondicherry	68	97	74.2	6	3	5	..	22	16.8	13		
Punjab															
Ambala	62	42	35.2	..	1	..	4	3	2	..	12	10.1	4		
Amritsar	359	289	41.9	4	8	15	..	71	10.3	22		
Batala	66	33	26.0	6	..	3	..	14	11.0	4		
Bhiwani	59	60	52.9	7	..	1	..	13	11.5	2		
Ferozepore	47	37	40.9	1	1	..	9	10.0	..		
Hissar	41	37	46.9	6	8	10.1	1		
Hoshiarpur	54	23	22.1	7	8	7.7	..		
Jullundur	230	152	34.4	10	1	5	..	32	7.2	5		
Karnal	83	56	35.1	10	..	3	..	21	13.2	2		
Ludhiana	194	186	49.9	8	..	6	..	41	11.0	13		
Moga	45	41	47.4	3	4	4.6	2		
Panipat	72	31	22.4	7	..	1	..	10	7.2	3		
Pathankot	36	36	52.0	1	1	5	..	8	11.6	..		
Rewari	40	18	23.4	5	8	10.4	3		
Rohtak	96	84	45.5	7	12	6.5	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Punjab—contd.															
Simla	53	24	23.5	..	I	..	2	2	I	..	17	16.7	I		
Sonepat	36	18	26.0	2	..	2	..	7	10.1	..		
Bhatinda	45	26	30.0	..	I	..	4	..	I	..	7	8.1	2		
Malerkotla	35	27	40.1	3	2	2	..	7	10.4	..		
Patiala	125	55	22.9	6	I	2	..	22	9.2	6		
TOTAL	1,778	1,275	37.3	..	3	..	102	19	49	..	331	9.7	73		
Rajasthan															
“N.R.”															
Uttar Pradesh															
Agra	404	252	32.4	I	70	..	101	13.0	24		
Allahabad	372	145	20.3	..	I	I	34	..	76	10.6	11		
Amroha	61	49	41.9	6	I	6	..	18	15.4	4		
Bahraich	49	15	16.0		
Banaras	416	376	47.1	I	2	..	91	4	24	..	267	33.5	35		
Banda†															
Bareilly	206	55	13.9	12	3	7	..	31	7.8	10		
Basti†															
Ballia†															
Bijnor†															
Budaun	55	30	28.4	10	I	7	..	20	19.0	5		
Bulandshahr†															
Chandauli	44	35	41.4	16	5	2	..	30	35.5	11		
Dehra Dun	186	43	12.0	3	2	I	..	12	3.4	2		
Etawah	65	59	47.3	8	..	8	..	23	18.4	7		
Faizabad															
Ayodhya†															
Farukhabad-Fatchgarh	78	56	37.4	10	I	11	..	26	17.4	5		
Ptirozabad	93	44	24.7	9	..	I	..	17	9.5	4		
Ghazipur	35	19	28.2	..	I	..	7	..	I	..	10	14.9	..		
Ghaziabad	68	34	26.1	9	I	13	10.0	3		
Gonda	35	12	17.9	I	4	5.9	I		
Gorakhpur	150	114	39.6	..	I	..	8	2	6	..	24	8.3	10		
Hapur	65	28	22.5	5	3	3	..	16	12.8	9		
Hardwar	73	32	22.8	I	9	3	3	..	28	20.0	7		
Hathras	65	54	43.3	19	..	2	..	37	29.6	12		
Jaunpur	59	25	22.1	..	11	..	3	..	3	..	20	17.7	4		
Jhansi	132	62	24.5	19	29	11.4	11		
Kanpur	810	312	20.1	..	I	..	79	18	47	5	262	16.9	76		
Kasganj	34	10	15.3	..	I	..	I	I	1.5	..		
Khurja	41	14	17.8	12	2	6	..	25	31.7	7		
Koili-Allgarh	167	26	8.1	..	7	..	25	I	I	..	39	12.2	14		
Lucknow	525	243	24.1	..	3	..	59	24	43	I	297	29.4	58		
Mathura	118	84	37.1	..	I	..	17	2	4	..	28	12.4	4		
Mau-Nath Bhanjan	39	33	44.1	5	9	12.0	2		
Meerut	198	160	42.1	12	I	7	..	36	9.5	9		
Mirzapur	100	34	17.7	8	..	5	..	26	13.5	4		
Vindhyachal															
Moradabad†															
Muzaffarnagar	81	33	21.2	7	I	I	..	14	9.0	3		
Pilibhit	47	32	35.5	8	..	I	..	15	16.6	6		
Rampur†															
Saharanpur	178	109	31.9	41	..	I	..	51	14.9	17		
Sambhal†															
Sitapur†															
Shahjahanpur	112	87	40.5	42	I	2	..	52	24.1	11		
TOTAL	5,161	2,716	27.4	2	21	..	561	77	307	7	1,657	16.7	386		

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal		"N.R."												
West Bengal		ARREAR INFORMATION												
West Bengal		w/e 3-5-1958												
Asansol†														
Baidyabati†														
Bally . . .	71	6	4.4	5	6	4.4	..	
Bankura . . .	51	9	9.2	
Bansberia†														
Basirhat . . .	43	6	7.3	1	1	1.2	1	
Baranagar . . .	99	23	12.1	4	2	1	3	..	18	9.5	6	
Berhampur . . .	69	39	29.5	1	1	1	..	16	12.1	2	
Bhadreswar . . .	44	4	4.7	2	2.4	..	
Bhatpara . . .	150	28	9.7	..	1	..	9	1	2	..	27	9.4	6	
Burdwan . . .	85	25	15.3	2	2	3	2	16	9.8	..	
Calcutta . . .	2931	1117	19.9	159	3	..	29	74	112	1	791	14.1	168	
Champdani . . .	41	6	7.6	3	3.8	..	
Garden-Reach . . .	131	15	6.0	6	3	2	22	8.8	..	
Halisahar . . .	43	3	3.6	6	7.3	..	
Hooghly-Chinsura . . .	63	97	80.3	6	1	..	3	..	1	..	16	13.2	3	
Howrah . . .	477	114	12.5	47	18	..	1	19	28	..	176	19.2	49	
Jalpaiguri . . .	55	20	19.0	1	1	..	8	7.6	1	
Kamarhati†														
Kanchrapara . . .	104	10	5.0	1	1	0.5	..	
Krishnagar . . .	69	1	0.8	..	
Midnapur . . .	47	14	15.5	3	3.3	..	
Nabadwip . . .	87	28	16.8	4	..	1	..	7	4.2	..	
Naihati . . .	67	6	4.7	..	1	..	2	3	1	..	11	8.6	1	
North Barrackpore†														
Panihati . . .	76	2	1.4	9	1	1	..	11	7.5	..	
Santipur . . .	55	10	9.5	1	6	5.7	2	
Serampore . . .	92	25	14.2	5	2	..	5	..	3	1	29	16.4	6	
Siliguri†														
South Dum Dum . . .	114	2	0.9	
South Suburban†														
Titagarh . . .	85	8	4.9	2	1	..	4	2	1	..	15	9.2	1	
Purulia . . .	52	7	7.0	1	..	1	..	3	3.0	..	
Budge-Budge . . .	32	5	8.1	1	3	4.9	..	
Chandernagor . . .	58	31	27.9	1	1	1	..	13	11.7	..	
Cooch-Behar†														
Darjeeling . . .	39	36	48.1	4	..	2	..	8	10.7	..	
English Bazar . . .	37	20	28.2	1	1	7	9.9	..	
Kharegpur . . .	79	2	1.3	
TOTAL . . .	5,446	1,718	16.4	248	31	..	67	107	163	5	1,226	11.3	245	
		w/e 10-5-58												
Assansol†														
Baidyabati†														
Baly . . .	71	3	2.2	3	4	2.9	1	
Bankura†														
Bansberia†														
Baranagar . . .	99	42	22.1	3	1	5	..	13	6.8	5	
Basirhat . . .	43	4	4.9	1	1	2	2.4	..	
Berhampur . . .	69	37	28.0	2	11	8.3	1	
Bhadreswar . . .	44	2	2.4	..	1	1	3	3.6	..	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; N.R. = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from —										Total	D.R.*	I.D.
		B.	B.R.*	C	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Bhatpara	150	17	5.9	5	..	1	1	28	9.7	4	
Burdwan	85	20	12.3	..	5	..	1	1	11	6.7	..	
Calcutta	2931	1106	19.7	107	2	..	35	65	110	3	701	12.5	149	
Champdani	41	7	8.9	2	4	5.1	..	
Cooch-Behar†														
Darjeeling	39	19	25.4	5	..	1	..	7	9.4	..	
English Bazar	37	1	1.4	2	2	2.8	..	
Garden-Reach	131	12	4.8	5	1	..	13	5.2	..	
Halisahar	43	1	1.2	
Hooghly-Chinsura	63	62	51.3	3	..	1	..	12	9.9	1	
Howrah†	477	148	16.2	31	17	..	2	14	34	..	165	18.0	45	
Jalpaiguri	55	16	15.2	1	..	1	..	7	6.6	..	
Kamarhati†														
Kanchrapara	104	2	1.0	
Krishnagar	69	
Midnapur	47	40	44.4	2	13	14.4	..	
Nabadwip	87	28	16.8	..	1	..	4	..	1	..	10	6.0	..	
Naihati	67	9	7.0	..	2	..	2	8	6.2	1	
North-Barrackpore	37	4	5.6	2	..	2	2.8	..	
Panihati	76	2	1.4	4	4	2.7	..	
Santipur	55	7	6.6	..	1	3	2.8	..	
Serampur	92	26	14.7	9	3	..	7	7	2	..	40	22.7	8	
Siliguri†														
South Dum Dum	114	1	0.5	..	
South Suburban	149	28	9.8	3	3	..	1	2	1	..	12	4.2	4	
Titagarh	85	18	11.0	1	18	3	5	..	31	19.0	5	
Purulia	52	7	7.0	1	1	3	3.0	..	
Budge-Budge	32	10	16.3	1	2	3.3	..	
Chandernagore	58	37	33.3	2	..	17	15.3	1	
Karagpur	79	3	2.0	
TOTAL	5,581	1,718	16.0	170	35	..	90	95	167	6	1129	10.5	225	

For w/e 17-5-58

Asansol	96	4	2.2	3	3	1.6	..
Baldyabati†													
Bally	71	4	2.9	2	1	3	2.2	1
Bankura †													
Bansberia†													
Baranagar	99	23	12.1	3	2	..	1	4	2	1	22	11.6	7
Basirhat	43	4	4.9
Berhampur	69	28	21.2	..	1	..	3	12	9.1	1
Bhadreswar	44	7	8.3	2	2	2.4	..
Bhatpara	150	17	5.9	7	..	8	1	36	12.5	9
Burdwan	85	15	9.2	..	1	1	1	..	6	3.7	..
Calcutta	2931	1,171	20.8	57	3	..	28	54	112	2	580	10.3	158
Champdani	41	8	9	11.4	..
Cooch-Behar†													
Darjeeling	39	16	21.4	3	..	1	..	13	17.4	..
English Bazar	37	31	43.7	..	1	..	1	1	10	14.1	..
Garden-Reach	131	10	4.0	3	4	1	2	..	13	5.2	3
Halisahar	43	3	3.6	..
Hooghly-Chinsura	63	76	62.9	2	2	2	13	10.8	1
Howrah	477	164	17.9	16	8	..	6	8	32	..	137	15.0	38
Jalpaiguri†													
Kamarhati†													
Kanchrapara	104	24	12.0
Krishnagar	69	1	0.8	1	0.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used: B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—*contd.*

Deaths from :—														
Town	Mid.-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
West Bengal—contd.														
Midnapur . . .	47	13	14.4	1	5	5.5	..	
Nabadwip . . .	87	25	15.0	3	..	1	..	5	3.0	..	
Naihati . . .	67	6	4.7	1	2	7	5.4	..	
North Barrackpore . . .	37	1	..	1	1	1	..	4	5.6	1	
Panihati . . .	76	2	1.4	3	1	..	1	3	9	6.2	..	
Santipur . . .	55	17	16.1	1	6	5.7	1	
Serampur . . .	92	38	21.5	11	1	..	1	4	3	..	31	17.6	5	
Siliguri†	
South Dum Dum . . .	114	1	0.5	
South Suburban . . .	149	30	10.5	3	1	1	6	..	15	5.2	7	
Titagarh . . .	85	23	14.1	1	1	..	6	2	3	..	14	8.6	3	
Purulia . . .	52	6	6.0	2	3	3.0	..	
Budge Budge . . .	32	9	14.7	2	5	8.1	1	
Chandernagore . . .	58	41	36.9	5	1	4	1	1	24	21.6	..	
Kharagpur . . .	79	5	3.3	
TOTAL . . .	5,622	1,811	16.7	119	22	..	75	87	173	6	991	9.2	236	
1958 24-5-58														
Asansol . . .	96	2	1.1	2	1.1	4	
Baidyabati†	
Bally . . .	71	3	2.2	1	2	..	1	..	5	3.7	..	
Bankura †	
Bansberia†	
Baranagar . . .	99	36	19.0	..	2	1	3	..	17	9.0	..	
Basirhat . . .	43	5	6.1	2	2.4	..	
Berhampur . . .	69	25	18.9	..	4	..	2	..	2	..	14	10.6	..	
Bhadreswar . . .	44	1	1.2	1	1.2	..	
Bhatpara . . .	150	15	5.2	6	..	4	..	28	9.7	4	
Burdwan . . .	85	23	14.1	..	2	..	1	1	5	3.1	..	
Calcutta . . .	2,931	1074	19.1	43	2	..	24	48	115	3	565	10.1	149	
Chandani . . .	41	16	20.3	3	6	7.6	..	
Cooch-Behar†	
Darjeeling . . .	39	13	17.4	5	6	8.0	..	
English Bazar . . .	37	15	21.1	1	3	4.2	..	
Garden-Reach . . .	131	14	5.6	3	3	..	3	..	15	6.0	1	
Halisahar . . .	43	
Hooghly-Chinsura . . .	63	53	43.9	..	2	..	1	2	1	..	13	10.8	1	
Howrah†	
Jalpaiguri . . .	55	23	21.8	1	1	..	3	2.8	..	
Kamarhati†	
Kanchrapara . . .	104	1	0.5	1	..	1	0.5	..	
Krishnagar†	
Midnapur . . .	47	15	16.6	2	2	2	..	20	22.2	..	
Nabadwip . . .	87	30	18.0	7	1	..	1	9	5.4	..	
Naihati . . .	67	6	4.7	1	3	2.3	1	
North Barrackpore . . .	37	3	4.2	1	3	4.2	..	
Panihati . . .	76	
Santipur . . .	55	17	16.1	4	3.8	..	
Serampur . . .	92	25	14.2	3	1	..	1	2	2	..	25	14.2	6	
Siliguri†	
South Dum Dum . . .	114	3	1.4	
South Suburban . . .	149	30	10.5	2	3	3	..	15	5.2	4	
Titagarh . . .	85	10	6.1	8	1	..	9	1	4	..	28	17.2	10	
Purulia . . .	52	7	7.0	2	1	6	6.0	..	
Budge-Budge . . .	32	11	17.9	1	2	..	4	6.5	..	
Chandernagore . . .	58	41	36.9	..	1	1	16	4.4	1	
Kharagpur . . .	79	4	2.6	
TOTAL . . .	5,131	1,521	15.4	65	15	..	66	64	145	4	819	8.3	172	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths), ..—No information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 5th July, 1958—concl'd.

Deaths from :—														
Town	Mid.-year Popn. Est. (000)	B.	BR.*	C.	S.	P.	F.	DD.	RD.	M.D.	Total	D.R.*	I.D.	
Orissa														
for w/e 7-6-1958														
Berhampur	81	30	19.3	..	2	..	4	3	2	..	16	10.3	3	
Cuttack	129	129	52.0	..	6	..	9	6	8	..	60	24.2	6	
Puri	56	85	78.9	16	11	4	..	48	44.6	14	
TOTAL	266	244	47.7	..	8	..	29	20	14	..	114	24.2	23	
Punjab														
Supplementary Figures														
For w/e 28-6-58														
Rohtak	96	54	29.3	7	..	2	..	12	6.5	5	
Sonepat	36	33	47.8	9	13	18.8	5	
Rajasthan														
(Supplementary Figures)														
For w/e 3-5-1958														
Jodhpur	233	49	10.9	..	3	..	34	..	13	3	97	21.6	30	
Sikar	55	4	8	7.6	..	
For w/e 10-5-1958														
Do.	55	2	2.3	..	
Jodhpur	233	58	12.9	..	3	..	18	..	6	..	68	15.2	15	
For w/e 17-5-1958														
Do.	233	66	14.7	..	3	..	18	..	5	3	57	12.7	11	
Sikar	55	3	2.8	..	2	2	1.9	..	
For w/e 24-5-58														
Sikar	55	1	1	0.9	..	
Tonk	46	9	10.2	2	2.3	..	
Jaipur	419	70	8.7	40	5	10	..	92	11.4	35	
For w/e 31-5-58														
Jodhpur	233	60	13.4	6	..	1	2	24	5.4	6	
Bikaner	117	58	25.5	2	2	9	..	30	13.1	4	
Sikar	55	1	1	0.9	..	
Tonk	46	5	5.7	4	5	5.7	1	
Ganganagar	65	3	2.4	3	5	4.0	2	
for w/e 7-6-1958														
Ajmer	244	62	13.8	..	1	..	11	1	2	5	39	13.8	17	
Ganganagar	65	5	4.0	2	..	1	..	5	4.0	1	
Beawar	65	15	12.0	..	2	..	5	..	1	..	16	12.8	6	
Tonk	46	8	9.0	1	1.1	..	
Kotah	83	12	7.5	..	1	..	7	..	1	..	13	8.1	..	
Jaipur	419	104	12.9	38	4	10	..	102	12.7	42	
Sikar	55	3	2.8	
for w/e 5-4-1958														
Sikar	55	1	0.9	
w/e 12-4-1958														
do	55	13	12.3	1	13	12.3	..	
w/e 19-4-1958														
do	55	1	0.2	..	1	1	0.9	..	
w/e 26-4-1958														
do	7	..	2	11	10.4	..	
Assam														
w/e 7-6-1958														
Siliguri†	
Gauhati	58	20	17.9	4	3	16	14.3	17	
Dibrugarh	54	4	3.9	1	1.0	..	
Silchar	57	10	9.1	2	1	9	8.1	..	
TOTAL	169	34	10.5	6	4	26	8.0	17	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 5th July, 1958 relate to 127 towns from the States of Bihar, Madras, Mysore, Orissa, Pondicherry, Punjab and Uttar Pradesh with a population coverage of 16,967 thousands out of the total population of 46,461 thousands in 320 towns in the country. The number of births and deaths recorded in these

towns were 10,072 and 4,439 representing birth and death rates of 30.9 and 13.6 per thousand of population respectively.

The towns of Banaras, Chandausi and Khurja in the State of Uttar Pradesh have recorded high death rates of 33.5, 35.5 and 31.7 per thousand of population respectively. The following table gives the registered rates for different States:—

States	Current w/e 5-7-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	10.6	7.2	12.4	6.8
Madras	37.5	14.3	35.8	19.8
Mysore	31.4	12.7	23.6	18.3
Orissa	53.0	19.0	†	†
Pondicherry	74.2	16.8	55.0	30.1
Punjab	37.3	9.7	33.3	13.6
Uttar Pradesh	27.4	16.7	28.9	17.6
India	30.9	13.6	29.2	16.9

† NOTE :—Figures not available.

NEW DELHI-2 (INDIA) ;

The 28th July, 1958.

}

H. R. SHARMA,

For Registrar General, India.